

MORBILIDAD Y MORTALIDAD

por enfermedades infecciosas

| ENFERMEDADES | Casos y defunciones clasificados por semanas y total general | | | | | | | | | | | | |
|---------------------------------------|--|----|----|----|----|----|----|----|-------|----|----|----|-----|
| | 1 | | 2 | | 3 | | 4 | | TOTAL | | C. | D. | |
| | C. | D. | C. | D. | C. | D. | C. | D. | C. | D. | | | |
| Fiebre tifoidea | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Viruela | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Varioloide | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Varicela | 13 | . | 1 | . | . | . | 3 | . | . | . | . | . | 17 |
| Difteria | 2 | . | 5 | . | . | . | 4 | . | . | . | . | . | 12 |
| Escarlatina | 7 | . | 5 | . | . | . | 6 | . | . | . | . | . | 18 |
| Sarampión | 11 | . | 5 | . | . | . | 18 | . | . | . | . | . | 52 |
| Menigitis cerebro-espinal epidémica . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coqueluche | 61 | . | 18 | . | . | . | 23 | . | . | . | . | . | 134 |
| Grippe | 21 | . | 10 | . | . | . | 27 | . | . | . | . | . | 66 |
| Parálisis infantil | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Encefalitis letárgica | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Tuberculosis pulmonar | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Tracoma | 53 | 2 | 29 | 2 | 50 | . | 30 | . | . | . | . | . | 122 |
| Tifus exantemático | 59 | . | 34 | . | 64 | . | 44 | . | . | . | . | . | 201 |
| Rabia | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Septicemia puerperal | 2 | . | 4 | . | 1 | . | 4 | . | . | . | . | . | 11 |